International Journal of Fracture

CONTENTS OF VOLUME 85 (1997)

Vol. 85, No. 1, 1997

Analysis on the applicability of direct current electrical potential method to the detection of damage by multiple small internal cracks	N. TADA, Y. HAYASHI, T. KITAMURA and R. OHTANI	1–9
Explicit formulations of the *J*-integral considering higher order singular terms in eigenfunction expansion forms Part I. Analytical treatments	YI-HENG CHEN and NORIO HASEBE	11–34
The mode III axisymmetric crack problem in a non-homogeneous interfacial region between homogeneous half-spaces	HALİDUN FİLDİŞ and O. SELÇUK YAHŞİ	35–45
Stress intensity factor histories of a steadily propagating crack under 3-D combined mode traction	LIU CHUN-TU, WANG KAI and LI XIANG-PING	47–67
Collinear periodic cracks in anisotropic bimaterials	YIANTAI HU, YUYING HUANG and WEIFANG ZHONG	69–80
Elastoplastic analysis of layered materials under thermal loading: Edge cracks parallel to the interface	M. OLSSON and A.E. GIANNAKOPOULOS	81–97

Vol. 85, No. 2, 1997

Detection and measurement of fatigue crack in HSLA steel with a dedicated ultrasonic pulse transmission method	I. MOSTAFA, S. HAILU, G. WELSCH, D. HAZONY and G.R. HALFORD	99–109
Approximate methods for predicting *J*-integral of a circumferentially surface-cracked pipe subject to bending	S. RAHMAN and F.W. BRUST	111–130
Crack-tip fields in elastic-plastic material under plane stress mode I loading	F.G. YUAN and S. YANG	131–155
A comparison of a discrete dislocation model and a continuous description of cyclic crack tip plasticity	FRANZ O. RIEMELMOSER, REINHARD PIPPAN and HEIN P. STÜWE	157–168

On the contribution of a microhole in the near-tip stress field to the J-integral	JIAN-JUN HAN and YI-HENG CHEN	169–183
Onset of multiple site damage and widespread fatigue damage in aging airplanes	DAVID Y. JEONG and PIN TONG	185–200

Vol. 85, No. 3, 1997

Continuous near-tip fields for a dynamic crack propagating in a power-law elastic-plastic material	X.K. ZHU, K.C. HWANG and G.T. LIU	201–209
Energy flux associated with a plane crack along an (hyper)elastic bimaterial interface	J.H. CHANG and J.B. YEH	211–229
A sandwich three-point bend specimen for testing mode-I interlaminar fracture toughness for fiber-reinforced composite materials	QI-ZHI WANG	231–240
Partially stiffened elastic half-plane with an edge crack	Y.A. ANTIPOV, D. BARDZOKAS and G.E. EXADAKTYLOS	241–263
Numerical analysis of dynamic debonding under anti-plane shear loading	PHILIPPE H. GEUBELLE and M. SCOT BREITENFELD	265–282
Fatigue growth analysis of interacting and coalescing surface defects	X.B. LIN and R.A. SMITH	283–299

Vol. 85, No. 4, 1997

Mode I fracture modeling of elastomer toughened epoxy adhesive joints	M. TODO, S.K. CHATURVEDI and R.L. SIERAKOWSKI	301–312
Theoretical simulations of a propagating crack subjected to in-plane stress wave loading by caustic method	YI-SHYONG ING and CHIEN-CHING MA	313–331
An influence function for stress intensity factors of bimaterial notched bodies	LESLIE BANKS-SILLS, YING YUAN YANG and DIETRICH MUNZ	333–350
The effect of an elliptical inclusion on a crack	DAI-HENG CHEN	351–364
Shielding effects and residual stresses at cleavage due to pre-existing dislocations	P. ANDERSSON and P. STÅHLE	365–380
Dynamic crack growth across an interface	T. SIEGMUND, N.A. FLECK and A. NEEDLEMAN	381–402